


## Verdcol® DPP Orange 73 Y 02

- Highly saturated orange
- Good fastness

|                                   |                      |
|-----------------------------------|----------------------|
| <b>Colour Index</b>               | Pigment Orange 73    |
| <b>C.I. No.</b>                   | 561170               |
| <b>CAS No.</b>                    | 84632-59-7           |
| <b>REACH Pre-Registration No.</b> | Available on Request |

| <b>Physical Data</b>                 |         |
|--------------------------------------|---------|
| Density[g/cm <sup>3</sup> ]          | 1.3-1.4 |
| Specific Surface [m <sup>2</sup> /g] | 20-25   |
| Oil Absorption[g/100g]               | 48-51   |
| Heat Stability[°C]                   | 200°C   |

| <b>Application</b>      |   |
|-------------------------|---|
| Automotive Coatings     | ● |
| Industrial Coatings     | ● |
| Decorative Coatings     | ● |
| Powder Coatings         | ● |
| Coil Coatings           | ● |
| Wood Coatings           | ● |
| ● : recommended         |   |
| ○ : limited suitability |   |
| — : not recommended     |   |



**Full Shade**



**Tint 1:25 TiO<sub>2</sub>**

| <b>Fastness</b> |         |      |        |     |     |        |
|-----------------|---------|------|--------|-----|-----|--------|
| Light           | Weather | Acid | Alkali | BAC | MEK | Xylene |
| 8               | 5       | 5    | 5      | 5   | 5   | 5      |

For more details, please contact [service@verdcol.com](mailto:service@verdcol.com)